

# decotric Priming paint white

## Anstrichgrund weiß

### Area of application:

Ideal substrate preparation for all painting work on wall and ceiling surfaces. The white pigmented special primer optimises the open time of subsequent coats, ensuring better colour flow and brush-free results.

### Properties:

- For easier, brush-stroke-free painting
- Strengthens the surface and regulates absorbency
- Enhances the brilliance of subsequent coloured coats
- Solvent-free
- For interior use

### Technical data:

Raw material base: Plastic dispersion, titanium dioxide, fillers, water and additives

Density approx. 1.57 g/cm<sup>3</sup>

pH value: approx. 8.5

### Substrate preparation:

decotric white primer can be used on all mineral substrates (e.g. concrete, fillers, lime, gypsum and cement plaster), plasterboard and other drywall panels, as well as renovation fleece and fabric. The substrate must be dry, stable and free of separating agents (dust, grease, etc.). Remove loose material, old wallpaper and poorly adhering paint. Prime highly absorbent, sandy and chalky substrates with decotric Tiefengrund LF. Fill cracks, holes and uneven areas, e.g. with decomur Super-Haftspachtel or decomur Leichtspachtel.

### Application:

Stir the primer before use and apply with a roller, brush or paintbrush. The treated surfaces can be painted over after approx. 6 hours (drying time depends on the absorbency of the substrate and ambient conditions; in unfavourable conditions, e.g. low temperature or high humidity, the drying time may be longer).

### Consumption:

Approx. 100–150 ml/m<sup>2</sup>, depending on the substrate condition.

### Notes:

Do not process at object and room temperatures below +5 °C. Clean tools immediately after use with water. In case of contact with eyes, rinse immediately with plenty of water. Do not allow to enter drains, water or soil.

Please refer to the safety data sheet for safety-related information. Current safety data sheets are available on our website [www.decotric.de](http://www.decotric.de) or at [sds@decotric.de](mailto:sds@decotric.de).

### Storage:

Store containers closed and cool, but frost-free. Keep out of reach of children.

### Disposal:

Only recycle containers that are completely empty. Dried material residues can be disposed of with household waste or as construction waste. Dispose of uncured residues in accordance with EWC waste code no. 08 01 12.

Item no.  
015602001

EAN  
4007955156024

Container size  
5 l



### Note:

All information and data in this information sheet correspond to our practical experience and laboratory tests and are based on the current state of technology. However, they can only provide general information and do not constitute a guarantee of properties. As the conditions under which storage, transport and processing take place are beyond our control, no legal liability can be derived from this information. It is the responsibility of the user to check the products for their suitability for the intended use under the respective conditions.