

decotric Gel Primer

Gel-Tiefengrund

Area of application:

Ready-to-use special primer for wall and ceiling surfaces. Thanks to its gel formula, the deep primer can be easily and cleanly rolled, brushed or airless sprayed, even on ceilings. Suitable for all mineral substrates (such as concrete, gypsum, lime and cement plaster, gypsum fillers, sand-lime brick, etc.) as well as plasterboard, gypsum fibre, cement fibre and other drywall panels. Ideal for priming slightly chalky substrates and sanded surfaces.

Properties:

- Application with a roller
- · Ideal for ceiling surfaces
- · Does not spray or drip
- · Strengthens the surface and regulates absorbency
- · Slightly reddish colour for application control
- · For indoor and outdoor use

Technical data:

Raw material base: Plastic dispersion, water and

additives

Density approx. 1 g/cm³

pH value: 8 - 9

Substrate preparation:

The substrate must be dry, solid, clean and free of grease. Remove loose material, old wallpaper, adhesive paints and poorly adhering coatings. Dust sanded surfaces. Pretreat extremely absorbent and porous substrates with decotric Deep Primer LF.

Application:

Apply decotric Gel-Tiefengrund undiluted with a short-pile roller, brush or suitable sprayer. The treated surfaces can be further processed after approx. 8 hours (depending on the absorbency of the substrate, temperature and humidity – allow for a longer drying time in unfavourable conditions).

Consumption:

Approx. 100–150 ml/m² for one coat – depending on the substrate.

Notes

Do not use at object and ambient temperatures below +5 °C. Clean tools with water immediately after use. In case of contact with eyes, rinse immediately with water. Do not allow to enter drains, water or soil.

Please refer to the safety data sheet for safety-related information. Current safety data sheets are available on our website www.decotric.de or atsds@decotric.de .

Storage:

Store containers tightly closed and in a cool place, but not exposed to frost. Keep out of reach of children.

Disposal:

Only recycle containers that are completely empty. Dried material residues can be disposed of with household waste or as construction waste. Dispose of uncured residues in accordance with EWC waste code no. 08 01 12.

 Item no.
 EAN
 Container size

 019003001
 4007955190035
 5 I



As of: 20 May 2020