

# decomur Ready-mixed facade filler

# decomur Fassaden-Fertigspachtel

## Instructions for use:

decomur Facade Finishing Filler is a ready-to-use filler for repairing and smoothing uneven wall and ceiling surfaces in damp rooms (such as kitchens, bathrooms and garages) and on facades. It is easy to smooth and hardens without cracking.

# **Properties:**

- · Ready to use
- · Also suitable for damp rooms
- · High strength
- · white

#### Technical data:

Raw material Plastic dispersion, mineral base: components, water, additives

approx. 1.8 g/cm<sup>3</sup>

Density

pH value: 8

# Substrate:

Can be used on all mineral substrates (e.g. concrete, masonry, gypsum, lime and cement plaster), emulsion and facade paints, etc. Not suitable for filling work on glass, plastic and metal. The substrate must be dry, sound, dustfree and free of grease. Prime highly absorbent, sandy and chalky substrates with decotric Tiefengrund LF. Fill deep holes and cracks with a cement-based filler (e.g. decomur Fassaden-Spachtel or decoplast Flächen- und Fliesenspachtel).

# Application:

Apply the filler with a smoothing trowel to a maximum layer thickness of 5 mm and smooth. If a thicker application is required, a further coat can be applied after the first coat has dried. If necessary, the filled surfaces can be sanded after drying – in this case, treat the surface with decotric Tiefengrund LF before further processing to bind the sanding dust.

# Consumption:

approx. 1.7 kg/m² at 1 mm application thickness

## **Notes**

Not suitable for filling work on glass, plastic and metal. Do not use at object and ambient temperatures below +5 °C. Clean tools with water immediately after use.

Please refer to the safety data sheet for safety-related information. Current safety data sheets are available on our website www.decotric.de or atsds@decotric.de .

# Storage

Store containers tightly closed, child-proof and cool, but frost-free.

# Disposal:

Only recycle containers that are completely empty.

Dried material residues can be disposed of with household waste or as construction site waste. Dispose of uncured residues in accordance with EWC waste code no. 08 04 10.

 Item no.
 EAN
 Container size

 034303001
 4007955343134
 4



decotric GmbH, Im Schedetal 1, 34346 Hann. Münden Tel. 05541 / 7003 -02, www.decotric.de

## Note

All information and data in this information sheet correspond to our practical experience and laboratory tests and are based on the current state of technology. However, they can only provide general information and do not constitute a guarantee of properties. As the conditions under which storage, transport and processing take place are beyond our control, no legal liability can be derived from this information. It is the responsibility of the user to check the products for their suitability for the intended use under the respective conditions.

As of: 14 February 2023