

decotric Graffiti Protection

Graffiti-Schutz

Area of application:

Semi-permanent graffiti protection with polymer wax for mineral substrates (such as concrete, brick, clinker and natural stone) and for surfaces already painted with emulsion paint. After applying the graffiti protection, spray paint and paint smears can be easily removed with hot water or decotric Graffiti-Ex.

Properties:

- Facilitates removal of graffiti
- Water-based
- transparent
- silk gloss

Technical data:

Raw material base: Polymer wax, water, additives.

Density 1.0 kg/l

pH 8

Substrate:

The substrate must be solid, stable, clean, dry and free of separating agents (dust, grease, etc.). Repair any cracks and holes.

Application:

Masking and protect adjacent components and surfaces that are not to be coated. Apply the graffiti protection twice wet-on-wet with a paintbrush, brush or suitable sprayer so that the surface is evenly moistened.

Graffiti removal:

Graffiti can be easily removed from the protected surface with hot water or with decotric Graffiti-Ex and cold water. In both cases, a new coat of graffiti protection is required to restore a protected surface.

Consumption:

100–125 ml/m² per coat

Notes

Do not use at substrate and ambient temperatures below +10 °C or above +30 °C. Protect the surface from rain and strong sunlight until dry (approx. 8 hours). Clean tools with hot water immediately after use.

Please refer to the safety data sheet for safety-related information. Current safety data sheets are available on our website www.decotric.de or at sds@decotric.de.

Storage:

Store containers tightly closed in a cool place, but not exposed to frost. Keep out of reach of children. Protect from sunlight. Use opened containers as soon as possible.

Disposal:

Only recycle containers that are completely empty. Dried material residues can be disposed of with household waste or as construction site waste. Dispose of liquid residues in accordance with EWC waste code no. 08 01 12.

Item no.

107202001

EAN

4007955072225

Container size

1



Note

All information and data in this information sheet correspond to our practical experience and laboratory tests and are based on the current state of technology. However, they can only provide general information and do not constitute a guarantee of properties. As the conditions under which storage, transport and processing take place are beyond our control, no legal liability can be derived from this information. It is the responsibility of the user to check the products for their suitability for the intended use under the respective conditions.